PRODUCT INFORMATION



WOMEN'S 3M TAPED LIGHTWEIGHT HI VIS SHIRT 2 Tone Long Sleeve - Hoop Pattern

BL6896

Features

- 3M 8910 Reflective taped 'Hoop' pattern around body
- 2 chest pockets with button down flaps and pen division
- 2 piece contrast coloured structured collar
- Bust darts, waist darts and side vents for a more flattering and feminine look
- Vertical cotton mesh back ventilation
- Underarm cotton mesh ventilation
- Panelled front with bust and waist shaping
- 2 button hole adjustable full gusset sleeve cuff

Fabric

- 100% Cotton Preshrunk Drill 155asm
- 100% Cotton Open Mesh Knit 125gsm

Size

• 8 - 24







Orange/Navy (TT02)





















BL6896 www.bisleyworkwear.com.au



TECHNICAL FAQ's

What is the body length (CB seam to hem)? 8: 71cm, **10:** 72cm, **12:** 73cm, **14:** 74cm, **16:** 75cm, **18:** 76cm, **20:** 77cm, **22:** 78cm, **24:** 79cm

What is UPF rating of the fabric on this shirt?
• UPF 50+



BL6896 _TT32 COMPLIES TO 4602.1:2011 CLASS N: NIGHT USE ONLY

SIMILAR PRODUCTS



BLT6456 WOMEN'S 3M 2T HI VIS DRILL SHIRT LS



BL6448TWOMEN'S 3M TAPED 2T
INDUSTRIAL COOL VENT SHIRT LS

AUSTRALIAN & INTERNATIONAL STANDARDS

Australian/ New Zealand Standards

- AS/NZS 2621:1998: Textiles Guide to the Selection of Correct Care Labelling Instructions from AS/NZS 1957

 BISLEY WORKWEAR GARMENTS USE THE CORRECT CARE LABELLING SUITED TO THEIR TYPE AND FABRICATION
- AS/NZS 2392:1999: Textiles Labelling of Clothing, Household Textiles and Furnishings BISLEY WORKWEAR GARMENTS HAVE THE CORRECT CARE LABELLING PLACEMENT AND DETAILS
- AS/NZS 1957:1998: Textiles Care Labelling
 BISLEY WORKWEAR GARMENTS ARE PROVIDED WITH CARE INSTRUCTIONS
 SUITED TO THEIR TYPE AND FABRICATION
- **AS/NZS 2622:1996:** Textile Products Fibre Content Labelling BISLEY WORKWEAR GARMENTS ACCURATELY LIST THE FABRIC FIBRE CONTENT
- **AS/NZS 4399:2017:** Sun Protective Clothing Evaluation and Classification *THIS GARMENT HAS A SUN PROTECTION RATING OF UPF 50+ FOR ALL COLOUR*

- **AS/NZS 1906.4:2010:** Hi Visibility Material For Safety Garments.
- THIS GARMENT MEETS THE FLUORESCENT CAPABILITIES AND THE CHROMATICITY READING TO ENSURE THAT THE BRIGHT COLOURS ARE WITHIN THE REQUIRED COLOUR RANGE (EXCLUDES PINK COLOURWAY). RETROREFLECTIVE TAPE ON THIS GARMENT ALSO MEETS THE HIGHER RETROREFLECTIVE PERFORMANCE REQUIRED.
- AS/NZS 4602.1:2011: Hi Visibility Safety Garments. Garments For High Risk Application.

THIS GARMENT HAS A MINIMUM OF 0.2sqm OF HI VISIBILITY FABRIC ON THE FRONT AND BACK AND RETRO-REFLECTIVE TAPING CONFIGURATION - HOOP PATTERN TO MEET DAY & NIGHT STANDARD

PINK COLOURWAY - RETRO-REFLECTIVE TAPE CONFIGURATION HOOP PATTERN MEETS CLASS N STANDARD. • AS/NZS 1020:1995: The Control of Undesirable Static Electricity

THIS GARMENT IS 100% COTTON WITH NO METAL ZIPS OR BUTTONS, THEREFORE IT MAY BE USED AS A STATIC CONTROL GARMENT

International Standards

- ASTM D5489-07: Standard Guide for Care Symbols for Care Instructions on Textile Products
 PROJUCTE WORKERS CARMENTS COMPINE
 - BISLEY WORKWEAR GARMENTS COMPLY WITH USA STANDARDS FOR CARE LABEL SYMBOLS AND CONTENT DESCRIPTIONS
- **ISO 14184-1:** Textiles Determination of Formaldehyde Part 1: Free and Hydrolized Formaldeyhe (Water Extraction Method) BISLEY WORKWEAR GARMENTS ARE FREE FROM FORMALDEHYDE

SHIRTS STATE OF THE STATE OF TH										WOMENS		
Size	6	8	10	12	14	16	18	20	22	24	<i>26</i>	28
To fit bust size (cm)	80	85	90	95	100	105	110	115	120	125	130	135
To fit waist size (cm)	60	65	70	75	80	85	90	95	100	105	110	115
To fit hip size (cm)	87	92	97	102	107	112	117	122	127	132	137	142

PRODUCT INFORMATION



WOMEN'S 3M TAPED LIGHTWEIGHT HI VIS SHIRT 2 Tone Long Sleeve - Hoop Pattern

BL6896

Features

- 3M 8910 Reflective taped 'Hoop' pattern around body
- 2 chest pockets with button down flaps and pen division
- 2 piece contrast coloured structured collar
- Bust darts, waist darts and side vents for a more flattering and feminine look
- Vertical cotton mesh back ventilation
- Underarm cotton mesh ventilation
- Panelled front with bust and waist shaping
- 2 buttonhole full gusset sleeve cuff

Fabric

- 100% Cotton Preshrunk Drill 155gsm
- 100% Cotton Open Mesh Knit 125gsm

Size

• 8 - 24



Pink /Navy (TT32)





















TECHNICAL FAQ's

What is the body length (CB neck to hem)?

- 8: 71cm, 10: 72cm, 12: 73cm, 14: 74cm,
 16: 75cm, 18: 76cm, 20: 77cm,
 22: 78cm, 24: 79cm
- What is UPF rating of the fabric on this shirt?
- ALL COLOURS: UPF 50+

SIMILAR PRODUCTS



BLT6456 WOMEN'S 3M 2T HI VIS DRILL SHIRT LS



BL6448T WOMEN'S 3M TAPED 2T INDUSTRIAL COOL VENT SHIRT LS



BL6267 WOMEN'S 2T HI VIS DRILL SHIRT

AUSTRALIAN & INTERNATIONAL STANDARDS

Australian/ New Zealand Standards

- AS/NZS 2621:1998: Textiles Guide to the Selection of Correct Care Labelling Instructions from AS/NZS 1957
 BISLEY WORKWEAR GARMENTS USE THE CORRECT CARE LABELLING SUITED TO THEIR TYPE AND FABRICATION
- AS/NZS 2392:1999: Textiles Labelling of Clothing, Household Textiles and Furnishings BISLEY WORKWEAR GARMENTS HAVE THE CORRECT CARE LABELLING PLACEMENT AND DETAILS
- AS/NZS 1957:1998: Textiles Care Labelling BISLEY WORKWEAR GARMENTS ARE PROVIDED WITH CARE INSTRUCTIONS SUITED TO THEIR TYPE AND FABRICATION
- **AS/NZS 2622:1996:** Textile Products Fibre Content Labelling BISLEY WORKWEAR GARMENTS ACCURATELY LIST THE FABRIC FIBRE CONTENT

- **AS/NZS 4399:2017:** Sun Protective Clothing Evaluation and Classification *THIS GARMENT HAS A SUN PROTECTION RATING OF UPF 50+ FOR ALL COLOUR*
- **AS/NZS 1906.4:2010:** Hi Visibility Material For Safety Garments. RETROREFLECTIVE TAPE ON THIS GARMENT

RETROREFLECTIVE TAPE ON THIS GARMENT ALSO MEETS THE HIGHER RETROREFLECTIVE PERFORMANCE REQUIRED.

- AS/NZS 4602.1:2011: Hi Visibility Safety Garments. Garments For High Risk Application.
 - PINK COLOURWAY RETRO-REFLECTIVE TAPE CONFIGURATION HOOP PATTERN MEETS CLASS N STANDARD.
- AS/NZS 1020:1995: The Control of Undesirable Static Electricity
 THIS GARMENT IS 100% COTTON WITH NO METAL ZIPS OR BUTTONS, THEREFORE IT MAY BE USED AS A STATIC CONTROL GARMENT

International Standards

- ASTM D5489-07: Standard Guide for Care Symbols for Care Instructions on Textile Products
 - BISLEY WORKWEAR GARMENTS COMPLY WITH USA STANDARDS FOR CARE LABEL SYMBOLS AND CONTENT DESCRIPTIONS
- **ISO 14184-1:** Textiles Determination of Formaldehyde Part 1: Free and Hydrolized Formaldeyhe (Water Extraction Method) BISLEY WORKWEAR GARMENTS ARE FREE FROM FORMALDEHYDE

SHIRTS CONTROL OF THE PROPERTY										WOMENS		
Size	6	8	10	12	14	16	18	20	22	24	<i>26</i>	28
To fit bust size (cm)	80	85	90	95	100	105	110	115	120	125	130	135
To fit waist size (cm)	60	65	70	75	80	85	90	95	100	105	110	115
To fit hip size (cm)	87	92	97	102	107	112	117	122	127	132	137	142